

Table of Contents

Categorized Listing

WORM GEAR CLAMPS	1
2 EAR PINCH CLAMPS	1
PINCH CLAMP TOOL	1
COATED CLAMPS	2
CABLE TIES	2
BOSS CLAMPS	3
DOUBLE BOLT CLAMPS	3
PUNCH LOCK CLAMPS	4
J-SERIES CLAMPS	4
JR SMOOTH ID PREFORMED CLAMPS	5
TOGGLE BOLT CLAMPS	5
SPIRAL CLAMPS - CLOCKWISE	6
SPIRAL CLAMPS - COUNTERCLOCKWISE	6

WORM GEAR CLAMPS



Stainless Steel band with Zinc housing and screw.

ITEM	SIZE RANGE
SC4	7/32"-5/8"
SC6	7/16"-25/32"
CC6	7/16"-25/32"
CC8	1/2"-29/32"
CC10	9/16"-1 1/16"
CC12	11/16"-1 1/4"
CC16	13/16"-1 1/2"
CC20	13/16"-1 3/4"
CC24	1 1/16"-2"
CC28	1 5/16"-2 1/4"
CC32	1 9/16"-2 1/2"
CC36	1 13/16"-2 3/4"
CC40	2 1/16"-3"
CC44	2 5/16"-3 1/4"
CC48	2 9/16"-3 1/2"
CC52	2 13/16"-3 3/4"
CC56	3 1/16"-4"
CC60	3 5/16"-4 4/14"
CC64	3 9/16"-4 1/2"
CC72	4 1/8"-5"
CC80	4 5/8"-5 1/2"
CC88	5 1/8"-6"
CC96	5 5/8"-6 1/2"
CC104	6 1/8"-7"

2 EAR PINCH CLAMPS



Extended clamping range.
One-piece clamp for secure and robust connections.

*fast and simple installation

ITEM	SIZE RANGE	FITS
0305R	.134"-.197"	
0507R	.197"-.276"	
0709R	.276"-.354"	
0811R	.319"-.433"	
1113R	.425"-.512"	
1315R	.492"-.591"	1/4 RED
1518R	.591"-.709"	
1720R	.638"-.787"	3/8 RED
2023R	.748"-.906"	1/2 RED
2327R	.886"-1.063"	5/8 RED

PINCH CLAMP TOOL



ITEM
AV18448

COATED CLAMPS



Used to insure proper hose routing where moving parts, abrasion or heat may exist also used for the support of long hose lengths.

ITEM	CLAMP DIA	BOLT HOLE SIZE
HK0413	0.19	13/32
HK0509	0.25	9/32
HK0511	0.25	11/32
HK0709	0.38	9/32
HK0713	0.38	13/32
HK0809	0.44	9/32
HK0913	0.5	13/32
HK0917	0.5	17/32
HK1013	0.56	13/32
HK1111	0.63	11/32
HK1113	0.63	13/32
HK1213	0.69	13/32
HK1313	0.75	13/32
HK1317	0.75	17/32
HK1413	0.81	13/32
HK1513	0.88	13/32
HK1613	0.94	13/32
HK1713	1	13/32
HK1813	1.06	13/32
HK1913	1.13	13/32
HK2017	1.19	17/32
HK2117	1.25	17/32
HK2317	1.38	17/32
HK2513	1.5	13/32
HK2517	1.5	17/32
HK2617	1.56	17/32
HK2913	1.75	13/32
HK2917	1.75	17/32
HK3117	1.88	17/32
HK3217	1.94	17/32
HK3317	2	17/32
HK3417	2.16	17/32
HK3817	2.66	17/32
HK4913	3	13/32
HK6513	4	13/32

CABLE TIES



Piece of nylon material used for bundling services.

*variety of sizes.

ITEM	LENGTH	RATING	COLOR
BL4	4"	18LB	
BL6	6"	40LB	BLACK
BL8	8"	50LB	BLACK
BL11	11"	50LB	BLACK
BL14	14"	50LB	BLACK
BL14W	14"	120LB	BLACK
BL17W	17"	175LB	BLACK
BL24W	24"	175LB	BLACK
BL36W	36"	175LB	BLACK
BL48W	48"	175LB	BLACK
BU6	6"		BLUE
BU8	8"		BLUE
GR6	6"		GREEN
OR6	6"		ORANGE
PU6	6"		PURPLE
RE6	6"		RED
RE8	8"		RED
YE6	6"		YELLOW

BOSS CLAMPS



Bolts in Boss Clamps tend to bend as they are tightened, allowing the clamp itself to conform to the OD of the hose.

*Always tighten bolts to their specific torque value. Periodic re-tightening is required due to the fact of the "cold flow" phenomenon that occurs in all rubber hoses. Boss Clamps are always for single use only.

ITEM	SIZE RANGE	TORQUE
BC2-050	13/16"-15/16"	6LB FT
BC2-050A	15/16"-1 1/16"	12LB FT
BC2-050B	1 1/16"-1 3/16"	12LB FT
BC2-075	1 5/32"-1 9/32"	21LB FT
BC2-075A	1 3/16"-1 5/16"	21LB FT
BC2-075B	1 5/16"-1 1/2"	21LB FT
BC2-075C	1 1/2"-1 11/16"	21LB FT
BC4-100	1 17/32"-1 23/32"	21LB FT
BC4-100A	1 13/32"-1 9/16"	21LB FT
BC4-100B	1 11/16"-1 27/32"	21LB FT
BC4-100C	1 7/8"-2 1/16"	21LB FT
BC4-125	2 1/16"-2 1/4"	40LB FT
BC4-150	2"-2 17/32"	40LB FT
BC4-150A	2 3/32"-2 9/32"	40LB FT
BC4-150B	2 1/4"-2 7/16"	40LB FT
BC4-150C	2 15/32"-2 23/32"	40LB FT
BC4-200	2 11/32"-2 17/32"	60LB FT
BC4-200A	2 1/2"-2 25/32"	60LB FT
BC4-200B	2 3/4"-3 1/18"	60LB FT
BC4-200C	3 3/32"-3 7/16"	60LB FT
BC4-250	3 1/2"-3 15/16"	150LB FT
BC4-300	3 1/2"-3 15/16"	150LB FT
BC4-300A	3 13/16"-4 1/16"	150LB FT
BC4-300B	4 1/16"-4 7/16"	200LB FT
BC4-300C	4 1/4"-4 13/16"	200LB FT
BC4-150S	1 13/16"-2"	40LB FT

DOUBLE BOLT CLAMPS



Applications

- Agriculture
- Construction
- Material Handling

ITEM	SIZE RANGE	TORQUE
DB29	7/8"-1 9/64"	20LB FT
DB34	1 5/32"-1 11/32"	20LB FT
DB40	1 5/16"-1 19/32"	20LB FT
DB49	1 5/8"-1 1/15/16"	20LB FT
DB60	1 7/8"-2 3/8"	20LB FT
DB76	2 3/8"-3 1/64"	40LB FT
DB94	3 1/32"-3 11/16"	40LB FT
DB115	3 3/4"-4 1/2"	40LB FT
DB400	3 1/2"-4"	40LB FT
DB463	4 1/16"-4 7/16"	40LB FT
DB431	3 25/32"-4 1/16"	40LB FT
DB525	4 3/16"-5"	60LB FT
DB550	5"-5 1/2"	60LB FT
DB600	5 1/2"-6 1/16"	60LB FT
DB639	5 11/16"-5 15/16"	60LB FT
DB675	6 1/8"-6 7/8"	60LB FT
DB769	6 15/16"-7 5/8"	60LB FT
DB818	7 11/16"-8 3/16"	125LB FT
DB875	8 1/4"-8 7/8"	125LB FT
DB988	8 15/16"-9 7/8"	125LB FT
DB1125	9 15/16"-11 3/8"	125LB FT
DB1275	11 3/16"-13"	125LB FT
DB1360	12 3/16"-14"	200LB FT
DB1450	13 3/16"-17 1/2"	200LB FT

PUNCH LOCK CLAMPS



Double wrapped for secure holding ability also compatible with majority of pneumatic equipment, as well as hand operating tools.

*Also available in Stainless Steel.

ITEM	SIZE RANGE	BAND WIDTH
P100300	13/16"	3/8"
P100310	1 3/8"	3/8"
P100400	1"	5/8"
P100500	1 1/4"	5/8"
P100600	1 1/2"	5/8"
P100700	1 3/4"	5/8"
P100800	2"	5/8"
P100900	2 1/4"	5/8"
P101000	2 1/2"	5/8"
P101100	2 3/4"	5/8"
P101200	3"	5/8"
P101400	3 1/2"	5/8"
P101600	4"	5/8"
P101800	4 1/2"	5/8"
P102000	5"	5/8"
P102400	6"	5/8"
P102600	6 1/2"	5/8"
P102800	7"	5/8"
P103200	8"	5/8"

J-SERIES CLAMPS



Stainless Steel smooth-seal double wrapped, preformed clamps lock securely and require no hammering.

*These clamps easily lock by using one lifting movement.

**These clamps are not for use with punch type tools. Call customer service for recommended tool.

ITEM	CLAMP ID	BAND WIDTH	BAND THICKNESS
JS201SS	13/16"	3/8"	.025"
JS242SS	1"	1/4"	.020"
JS243SS	1"	3/8"	.025"
JS202SS	1 3/8"	3/8"	.025"
JS203SS	1"	1/2"	.030"
JS204SS	1 1/4"	1/2"	.030"
JS241SS	1 3/8"	1/4"	.020"
JS205SS	1 1/2"	5/8"	.030"
JS206SS	1 3/4"	5/8"	.030"
JS245SS	2"	3/8"	.025"
JS207SS	2"	5/8"	.030"
JS208SS	2 1/4"	5/8"	.030"
JS209SS	2 1/2"	5/8"	.030"
JS210SS	2 3/4"	3/4"	.030"
JS211SS	3"	3/4"	.030"
JS212SS	3 1/2"	3/4"	.030"
JS213SS	4"	3/4"	.030"
JS214SS	4 1/2"	3/4"	.030"
JS215SS	5"	3/4"	.030"
JS216SS	6"	3/4"	.030"
JS218SS	7"	3/4"	.030"
JS219SS	8"	3/4"	.030"

JR SMOOTH ID PREFORMED CLAMPS



Jr. Smooth ID Preformed Clamps have the widest choice of materials and sizes in a leak resistant design.

*Lock is formed by a simple lever movement. No hammering or crimping.

**This clamp is double wrapped for additional strength.

ITEM	CLAMP ID	BAND WIDTH	BAND THICKNESS
JS3019	13/16"	3/8"	.025"
JS3029	1 3/8"	3/8"	.025"
JS3039	1"	1/2"	.030"
JS3049	1 1/4"	1/2"	.030"
JS3059	1 1/2"	5/8"	.030"
JS3069	1 3/4"	5/8"	.030"
JS3079	2"	5/8"	.030"
JS3089	2 1/4"	5/8"	.030"
JS3099	2 1/2"	5/8"	.030"
JS3109	2 3/4"	3/4"	.030"
JS3119	3"	3/4"	.030"
JS3129	3 1/2"	3/4"	.030"
JS3139	4"	3/4"	.030"
JS3149	4 1/2"	3/4"	.030"
JS3159	5"	3/4"	.030"
JS3169	6"	3/4"	.030"

TOGGLE BOLT CLAMPS



304 Stainless Steel band, bolt and nut

Applications:

- Agriculture
- Construction
- Material Handling

ITEM	SIZE RANGE	FITS
TBC-SS019	21/32"-3/4"	
TBC-SS025	29/32"-1"	
TBC-SS031	1 5/32"- 1 15/32"	12C4
TBC-SS035	1 1/4"-1 3/8"	
TBC-SS039	1 3/8"-1 9/16"	16C4
TBC-SS043	1 5/8"-1 13/16"	16C4
TBC-SS047	1 3/4"-1 15/16"	20C4
TBC-SS051	1 7/8"-2 1/16"	24C4
TBC-SS055	2 1/8"-2 5/16"	24C4
TBC-SS059	2 1/4"-2 7/16"	
TBC-SS067	2 17/32"-2 13/16"	32C4
TBC-SS079	2 29/32"-3 13/16"	
TBC-SS085	3 1/32"-3 5/16"	
TBC-SS091	3 9/32"-3 9/16"	
TBC-SS097	3 17/32"-3 13/16"	
TBC-SS103	3 25/32"-4 1/16"	
TBC-SS112	4 1/32"-4 5/16"	
TBC-SS121	4 17/32"-4 13/16"	
TBC-SS130	4 25/32"-5 1/16"	
TBC-SS148	5 17/32"-5 13/16"	
TBC-SS161	5 7/8"-6 11/32"	
TBC-SS213	7 29/32"-8 3/8"	

SPIRAL CLAMPS - CLOCKWISE



Zinc plated carbon steel. Two or more clamps are suggested for 3" ID or larger hoses. Tighten hex nuts equally to prevent leakage.

*Proper evaluation of holding power for each clamp must be determined for each individual application.

ITEM	FITS
SDBCR-2	2"
SDBCR-3	3"
SDBCR-4	4"
SDBCR-5	5"
SDBCR-6	6"
SDBCR-8	8"

SPIRAL CLAMPS - COUNTERCLOCKWISE



Zinc plated carbon steel. Two or more clamps are suggested for 3" ID or larger hoses. Tighten hex nuts equally to prevent leakage.

*Proper evaluation of holding power for each clamp must be determined for each individual application.

ITEM	FITS
SDBC-1.5	1 1/2"
SDBC-2	2"
SDBC-2.25	2 1/4"
SDBC-2.5	2 1/2"
SDBC-3	3"
SDBC-3.5	3 1/2"
SDBC-4	4"
SDBC-5	5"
SDBC-6	6"
SDBC-8	8"
SDBC-10	10"
SDBC-12	12"